AMENDMENTS TO THE CLAIMS

- 1. (original) A composition comprising a mixed cell culture comprising MDCK cells and one or more of A549 cells and H292 cells.
- 2. (original) The composition of Claim 1, wherein said mixed cell culture comprises MDCK cells and A549 cells.
- 3. (original) The composition of Claim 1, wherein said mixed cell culture comprises MDCK cells and H292 cells.
- 4. (original) The composition of Claim 1, wherein said mixed cell culture comprises MDCK cells, A549 cells, and H292 cells.
 - 5. (original) A method for detecting influenza virus, comprising:
 - 1) providing:

J

- a) mixed cell culture comprising MDCK cells and one or more of A549 cells and H292 cells; and
- b) a sample;
- 2) inoculating said mixed cell culture with said sample to produce an inoculated culture; and
- 3) detecting the presence of influenza virus in said inoculated culture.
- 6. (amended) The eomposition method of Claim 5, wherein said influenza virus comprises influenza A virus.
- 7. (amended) The eomposition method of Claim 5, wherein said influenza virus comprises influenza B virus.
- 8. (amended) The eomposition method of Claim 5, wherein said influenza virus comprises influenza A virus and influenza B virus.

9. (amended) The eomposition method of Claim 5, wherein said mixed cell culture comprises MDCK cells and A549 cells.

J.

- 10. (amended) The eomposition method of Claim 9, wherein said method further comprises detecting the presence of one or more of respiratory syncytial virus (RSV), adenovirus, parainfluenza 1 virus, parainfluenza 2 virus, parainfluenza 3 virus, and metapneumovirus.
- 11. (amended) The eomposition method of Claim 5, wherein said mixed cell culture comprises MDCK cells and H292 cells.
- 12. (amended) The eomposition method of Claim 11, wherein said method further comprises detecting the presence of one or more of respiratory syncytial virus (RSV), adenovirus, parainfluenza 1 virus, parainfluenza 2 virus, parainfluenza 3 virus, and metapneumovirus.
- 13. (amended) The eomposition method of Claim 5, wherein said mixed cell culture comprises MDCK cells, A549 cells, and H292 cells.
- 14. (amended) The eomposition method of Claim 13, wherein said method further comprises detecting the presence of one or more of respiratory syncytial virus (RSV), adenovirus, parainfluenza 1 virus, parainfluenza 2 virus, parainfluenza 3 virus, and metapneumovirus.

- 15. (original) A method for producing influenza virus, comprising:
 - 1) providing:

ì

- a) mixed cell culture comprising MDCK cells and one or more of A549 cells and H292 cells; and
- b) a sample; and
- 2) inoculating said mixed cell culture with said sample to produce an inoculated culture, wherein said inoculated culture produces influenza virus.
- 16. (original) The method of Claim 15, wherein said influenza virus comprises influenza A virus.
- 17. (original) The method of Claim 15, wherein said influenza virus comprises influenza B virus.
- 18. (original) The method of Claim 15, wherein said influenza virus comprises influenza A virus and influenza B virus.
- 19. (original) The method of Claim 15, wherein said mixed cell culture comprises MDCK cells and A549 cells.
- 20. (original) The method of Claim 19, wherein said method further comprises producing one or more of respiratory syncytial virus (RSV), adenovirus, parainfluenza 1 virus, parainfluenza 2 virus, parainfluenza 3 virus, and metapneumovirus.
- 21. (original) The method of Claim 15, wherein said mixed cell culture comprises MDCK cells and H292 cells.
- 22. (original) The method of Claim 21, wherein said method further comprises producing one or more of respiratory syncytial virus (RSV), adenovirus, parainfluenza 1 virus, parainfluenza 2 virus, parainfluenza 3 virus, and metapneumovirus.

- 23. (original) The method of Claim 15, wherein said mixed cell culture comprises MDCK cells, A549 cells, and H292 cells.
- 24. (original) The method of Claim 23, wherein said method further comprises producing one or more of respiratory syncytial virus (RSV), adenovirus, parainfluenza 1 virus, parainfluenza 2 virus, parainfluenza 3 virus, and metapneumovirus.
 - 25. (original) A method for detecting metapneumovirus, comprising:
 - 1) providing

)

- a) a mixed cell culture comprising MDCK cells and A549 cells; and
- b) a sample;
- 2) inoculating said mixed cell culture with said sample to produce an inoculated culture; and
- 3) detecting the presence of metapneumovirus in said inoculated culture.
- 26. (original) The method of Claim 25, wherein said method further comprises detecting influenza virus.
- 27. (original) The method of Claim 26, wherein said influenza virus comprises influenza B virus.
- 28. (original) The method of Claim 26, wherein said influenza virus comprises influenza A virus.
- 29. (original) The method of Claim 26, wherein said influenza virus comprises influenza A virus and influenza B virus.
- 30. (original) The method of Claim 25, wherein said method further comprises detecting the presence of one or more of respiratory syncytial virus (RSV), adenovirus, parainfluenza 1 virus, parainfluenza 2 virus, and parainfluenza 3 virus.

- 31. (original) The method of Claim 25, wherein said mixed cell culture further comprises H292 cells.
- 32. (original) The method of Claim 31, wherein said method further comprises detecting the presence of one or more of respiratory syncytial virus (RSV), adenovirus, parainfluenza 1 virus, parainfluenza 2 virus, and parainfluenza 3 virus.
 - 33. (original) A method for producing metapneumovirus, comprising:
 - 1) providing

)

- a) a mixed cell culture comprising MDCK cells and A549 cells; and
- b) a sample;
- 2) inoculating said cultured cells with said sample to produce an inoculated culture, wherein said inoculated culture produces metapneumovirus.
- 34. (original) The method of Claim 33, wherein said mixed cell culture further comprises H292 cells.